



ELSEVIER

Diabetes Research and Clinical Practice 34 (1997) 187-189

DIABETES RESEARCH
AND
CLINICAL PRACTICE

Author index

Volume 34 (1997)

- Abdel-Fattah, M., see Scorpiglione, N. 34, 115
Anckaert, E., see Segers, O. 34, 89
Arai, K., Y. Kajimoto, Y. Yamasaki, Rarity of the Asn291Ser mutation of lipoprotein lipase gene in Japanese NIDDM patients 34, 181
Azad Khan, A.K., see Sayeed, M.A. 34, 149
- Banu, A., see Sayeed, M.A. 34, 149
Barac-Nieto, M., see Liu, S.-m. 34, 143
Belfiglio, M., see Scorpiglione, N. 34, 115
Bhatia, E., see Dabadghao, P. 34, 73
Bhatia, V., see Dabadghao, P. 34, 73
Birrell, A., see Heffernan, S. 34, 65
- Carinci, F., see Scorpiglione, N. 34, 115
Cavaliere, D., see Scorpiglione, N. 34, 115
Ciconetti, E., see Spallone, V. 34, 169
Colman, P.G., see Dabadghao, P. 34, 73
- Dabadghao, P., E. Bhatia, V. Bhatia, K. Jayaraj, P.G. Colman, Islet-cell antibodies in malnutrition-related diabetes mellitus from North India 34, 73
Doi, Y., see Iino, K. 34, 163
Dupont, A.G., see Segers, O. 34, 89
- Elisaf, M.S., A.A. Tsatsoulis, K.P. Katopodis, K.C. Siamopoulos, Acid-base and electrolyte disturbances in patients with diabetic ketoacidosis 34, 23
El-Shazly, M., see Scorpiglione, N. 34, 115
- Farkas, K., see Jermendy, G. 34, 107
Ferenczi, J., see Jermendy, G. 34, 107
Fujimura, Y., see Isotani, H. 34, 57
Fujishima, M., see Iino, K. 34, 163
Furukawa, K., see Isotani, H. 34, 57
- Gerlo, E., see Segers, O. 34, 89
Gillin, A., see Heffernan, S. 34, 65
Guido Menzinger, see Spallone, V. 34, 169
- Hamada, Y., see Nakashima, E. 34, 13
Hamaguchi, T., see Yamagata, K. 34, 37
Hanafusa, T., see Yamagata, K. 34, 37
Hasegawa, K., see Sasaki, A. 34, 47
Heffernan, S., V. James, R. Zilkens, P. Kirwan, A. Birrell, S. McLennan, A. Hennessy, A. Gillin, J. Horvath, D. Tiller, D. Yue, J. Turtle, Changes of extracellular matrix in a baboon (*Papio hamadryas*) model of insulin dependent diabetes: studies using electron microscopy and X-ray diffraction techniques 34, 65
Hennessy, A., see Heffernan, S. 34, 65
Hernandez, E., see Jermendy, G. 34, 107
Hirai, H., see Kaino, Y. 34, 7
Horiuchi, N., see Sasaki, A. 34, 47
Horvath, J., see Heffernan, S. 34, 65
Hotta, N., see Nakashima, E. 34, 13
Hussain, M.Z., see Sayeed, M.A. 34, 149
- Iino, K., M. Yoshinari, Y. Doi, N. Shinohara, M. Iwase, M. Fujishima, Reduced tissue oxygenation and its reversibility by glycemic control in diabetic patients 34, 163
Ishii, T., see Yamauchi, A. 34, 127
Isotani, H., Y. Fujimura, K. Furukawa, K. Morita, Diabetic ketoacidosis associated with the pheochromocytoma of youth 34, 57
Itoh, N., see Yamagata, K. 34, 37
Ito, T., see Kaino, Y. 34, 7
Iwase, M., see Iino, K. 34, 163
- James, V., see Heffernan, S. 34, 65
Jayaraj, K., see Dabadghao, P. 34, 73
Jermendy, G., J. Ferenczi, E. Hernandez, K. Farkas, J. Nádas, Day-night blood pressure variation in normotensive and hypertensive NIDDM patients with asymptomatic autonomic neuropathy 34, 107
- Kaino, Y., H. Hirai, T. Ito, K. Kida, Insulin-like growth factor I (IGF-I) delays the onset of diabetes in non-obese diabetic (NOD) mice 34, 7

- Kajimoto, Y., see Arai, K. 34, 181
 Katopodis, K.P., see Elisaf, M.S. 34, 23
 Katsumori, K., see Wasada, T. 34, 157
 Kawai, K., see Sone, H. 34, 83
 Kawakami, Y., see Sone, H. 34, 83
 Kawata, S., see Yamagata, K. 34, 37
 Kida, K., see Kaino, Y. 34, 7
 Kiguchi, H., see Yamauchi, A. 34, 127
 Kirwan, P., see Heffernan, S. 34, 65
 Koh, N., see Nakashima, E. 34, 13
 Koike, T., see Yamauchi, A. 34, 127
 Kono, N., see Yamagata, K. 34, 37
 Kuwajima, M., see Yamagata, K. 34, 37
- Labbrozzi, D., see Scorpiglione, N. 34, 115
 Lagarde, M., see Ruggiero-Lopez, D. 34, 135
 Lecomte, M., see Ruggiero-Lopez, D. 34, 135
 Liu, S.-m., M. Barac-Nieto, Renal protein degradation in streptozotocin diabetic mice 34, 143
- Madras IDDM Registry Group, Madras, South India, see Ramachandran, A. 34, 79
 Makita, Z., see Yamauchi, A. 34, 127
 Mari, E., see Scorpiglione, N. 34, 115
 Massi Benedetti, M., see Scorpiglione, N. 34, 115
 Matsushima, T., see Sone, H. 34, 83
 Matsuzawa, Y., see Yamagata, K. 34, 37
 McLennan, S., see Heffernan, S. 34, 65
 Miyagawa, J.-i., see Yamagata, K. 34, 37
 Mohan, V., see Rema, M. 34, 29
 Mokuda, O., see Ubukata, E. 34, 1
 Morita, K., see Isotani, H. 34, 57
- Nádas, J., see Jermendy, G. 34, 107
 Nakajima, H., see Yamagata, K. 34, 37
 Nakamoto, S., see Yamauchi, A. 34, 127
 Nakamura, J., see Nakashima, E. 34, 13
 Nakashima, E., J. Nakamura, N. Koh, F. Sakakibara, Y. Hamada, N. Hotta, Effect of a novel hypoglycemic agent, KAD-1229 on glucose metabolism and fructose-2,6-bisphosphate content in isolated hepatocytes of normal rats 34, 13
 Namba, M., see Yamagata, K. 34, 37
 Nicolucci, A., see Scorpiglione, N. 34, 115
 Noguchi, T., see Yamagata, K. 34, 37
- Odawara, M., see Sone, H. 34, 83
 Ohashi, N., see Yamauchi, A. 34, 127
 Okuda, Y., see Sone, H. 34, 83
 Omori, Y., see Wasada, T. 34, 157
- Ponnaiya, M., see Rema, M. 34, 29
- Ramachandran, A., C. Snehalatha, Madras IDDM Registry Group, Madras, South India, Incidence of IDDM in children in urban population in Southern India 34, 79
 Rellier, N., see Ruggiero-Lopez, D. 34, 135
 Rema, M., M. Ponnaiya, V. Mohan, Prevalence of retinopathy in non insulin dependent diabetes mellitus at a diabetes centre in Southern India 34, 29
 Rosaria Maiello, M., see Spallone, V. 34, 169
 Ruggiero-Lopez, D., N. Rellier, M. Lecomte, M. Lagarde, N. Wiernsperger, Growth modulation of retinal microvascular cells by early and advanced glycation products 34, 135
 Rumi, M.A.K., see Sayeed, M.A. 34, 149
- Saeki, A., see Wasada, T. 34, 157
 Saito, S., see Wasada, T. 34, 157
 Sakakibara, F., see Nakashima, E. 34, 13
 Sakamoto, Y., see Ubukata, E. 34, 1
 Saruta, T., see Yamauchi, A. 34, 127
 Sasaki, A., M. Uehara, N. Horiuchi, K. Hasegawa, T. Shimizu, A 15 year follow-up study of patients with non-insulin dependent diabetes mellitus (NIDDM) in Osaka, Japan: Long-term prognosis and causes of death 34, 47
 Sayeed, M.A., M.Z. Hussain, A. Banu, M.A.K. Rumi, A.K. Azad Khan, Prevalence of diabetes in a suburban population of Bangladesh 34, 149
 Scorpiglione, N., M. El-Shazly, M. Abdel-Fattah, M. Belfiglio, D. Cavaliere, F. Carinci, D. Labbrozzi, E. Mari, M. Massi Benedetti, G. Tognoni, A. Nicolucci, Epidemiology and determinants of blood glucose self-monitoring in clinical practice 34, 115
 , see Ramachandran, A. 34, 79
 Segers, O., E. Anckaert, E. Gerlo, A.G. Dupont, G. Somers, Dopamine-sodium relationship in Type 2 diabetic patients 34, 89
 Shimizu, N., see Ubukata, E. 34, 1
 Shimizu, T., see Sasaki, A. 34, 47
 Shinohara, N., see Iino, K. 34, 163
 Siamopoulos, K.C., see Elisaf, M.S. 34, 23
 Snehalatha, C., see Ramachandran, A. 34, 79
 Somers, G., see Segers, O. 34, 89
 Sone, H., Y. Okuda, T. Yamaoka, Y. Kawakami, M. Odawara, T. Matsushima, K. Kawai, K. Yamashita, Predicting long-term glycemic control of post-educational type II diabetic patients by evaluating serum 1,5-anhydroglucitol levels 34, 83
 Spallone, V., M. Rosaria Maiello, E. Cicconetti, Guido Menzinger, Autonomic neuropathy and cardiovascular risk factors in insulin-dependent and non insulin-dependent diabetes 34, 169
- Takei, I., see Yamauchi, A. 34, 127
 Tamura, S., see Yamagata, K. 34, 37
 Tiller, D., see Heffernan, S. 34, 65
 Tognoni, G., see Scorpiglione, N. 34, 115
 Tomita, K., see Yamagata, K. 34, 37
 Tsatsoulis, A.A., see Elisaf, M.S. 34, 23
 Turtle, J., see Heffernan, S. 34, 65
- Ubukata, E., O. Mokuda, Y. Sakamoto, N. Shimizu, Effect of various glucagon/insulin molar ratios on blood ketone body levels in rats by use of osmotic minipumps 34, 1
 Uehara, M., see Sasaki, A. 34, 47

Wasada, T., K. Katsumori, A. Saeki, S. Saito, Y. Omori, Urinary albumin excretion rate is related to insulin resistance in normotensive subjects with impaired glucose tolerance **34**, 157
 Wiernsperger, N., see Ruggiero-Lopez, D. **34**, 135
 Yamagata, K., H. Nakajima, K. Tomita, N. Itoh, J.-i. Miyagawa, T. Hamaguchi, M. Namba, S. Tamura, S. Kawata, N. Kono, M. Kuwajima, T. Noguchi, T. Hanafusa, Y. Matsuzawa, Dominant TCR α -chain clonotypes and interferon- γ are expressed in the pancreas of patients with recent-onset insulin-dependent diabetes mellitus **34**, 37
 Yamaoka, T., see Sone, H. **34**, 83

Yamasaki, Y., see Arai, K. **34**, 181
 Yamashita, K., see Sone, H. **34**, 83
 Yamauchi, A., I. Takei, Z. Makita, S. Nakamoto, N. Ohashi, H. Kiguchi, T. Ishii, T. Koike, T. Saruta, Effects of aminoguanidine on serum advanced glycation endproducts, urinary albumin excretion, mesangial expansion, and glomerular basement membrane thickening in Otsuka Long-Evans Tokushima Fatty rats **34**, 127
 Yoshinari, M., see Iino, K. **34**, 163
 Yue, D., see Heffernan, S. **34**, 65
 Zilkens, R., see Heffernan, S. **34**, 65

Subject index

Volume 34 (1997)

Advanced glycation endproducts; Aminoguanidine; Diabetic nephropathy; Otsuka Long-Evans Tokushima Fatty rats **34**, 127

Advanced glycation end products; Retinopathy; Microvascular endothelial cells; Retinal pericytes; Diabetes mellitus; Early glycation products; Glycoxidation **34**, 135

Aminoguanidine; Advanced glycation endproducts; Diabetic nephropathy; Otsuka Long-Evans Tokushima Fatty rats **34**, 127

1,5-Anhydroglucitol; Diabetes education; Educational hospitalization; Predictor of glycemic control **34**, 83

Δ anion gap/ Δ bicarbonate (Δ AG/ Δ HCO₃) ratio; Diabetic ketoacidosis; Serum anion gap; Sodium/Chloride concentration ratio (Na/Cl) **34**, 23

Arterial oxygen pressure; Transcutaneous oxygen pressure; Tissue oxygenation **34**, 163

Autonomic neuropathy; Blood pressure variation; Diabetic neuropathy; Microalbuminuria **34**, 107

Autonomic neuropathy; Diabetes mellitus; Cardiovascular risk **34**, 169

Baboon model; Extracellular matrix; Electron microscopy; X-ray diffraction **34**, 65

Blood glucose self-monitoring; Insulin-dependent diabetes mellitus; Non-insulin-dependent diabetes mellitus; Insulin treated **34**, 115

Blood pressure variation; Autonomic neuropathy; Diabetic neuropathy; Microalbuminuria **34**, 107

BMI; IGT; NIDDM; Prevalence; Relative risk **34**, 149

Cardiovascular risk; Diabetes mellitus; Autonomic neuropathy **34**, 169

Catecholamine; Diabetic ketoacidosis; Pheochromocytoma **34**, 57

Causes of death; NIDDM; Prospective study; Long-term observation **34**, 47

Diabetes education; 1,5-Anhydroglucitol; Educational hospitalization; Predictor of glycemic control **34**, 83

Diabetes mellitus; Autonomic neuropathy; Cardiovascular risk **34**, 169

Diabetes mellitus; Retinopathy; Microvascular endothelial cells; Retinal pericytes; Early glycation products; Advanced glycation end products; Glycoxidation **34**, 135

Diabetic ketoacidosis; Δ anion gap/ Δ bicarbonate (Δ AG/ Δ HCO₃) ratio; Serum anion gap; Sodium/Chloride concentration ratio (Na/Cl) **34**, 23

Diabetic ketoacidosis; Catecholamine; Pheochromocytoma **34**, 57

Diabetic nephropathy; Advanced glycation endproducts; Aminoguanidine; Otsuka Long-Evans Tokushima Fatty rats **34**, 127

Diabetic neuropathy; Autonomic neuropathy; Blood pressure variation; Microalbuminuria **34**, 107

Diabetic retinopathy; NIDDM; South India; Risk factors **34**, 29

Early glycation products; Retinopathy; Microvascular endothelial cells; Retinal pericytes; Diabetes mellitus; Advanced glycation end products; Glycoxidation **34**, 135

- Educational hospitalization;** 1,5-Anhydroglucitol; Diabetes education; Predictor of glycemic control **34, 83**
- Electron microscopy;** Extracellular matrix; X-ray diffraction; Baboon model **34, 65**
- Epidemiology of IDDM;** IDDM in India; IDDM Registry **34, 79**
- Extracellular matrix;** Electron microscopy; X-ray diffraction; Baboon model **34, 65**
- Fibro-calculous pancreatic diabetes;** Islet-cell antibody; Malnutrition-related diabetes mellitus; Protein-deficient pancreatic diabetes; Type 1 diabetes **34, 73**
- Fructose-2,6-bisphosphatase;** Gluconeogenesis; Glycolysis; 6-phosphofructo 2-kinase; Sulfonylurea **34, 13**
- Glucagon/insulin molar ratio;** Ketone body; Osmotic minipump **34, 1**
- Gluconeogenesis;** Fructose-2,6-bisphosphatase; Glycolysis; 6-phosphofructo 2-kinase; Sulfonylurea **34, 13**
- Glucose clamp;** Urinary albumin excretion rate; Insulin resistance; Impaired glucose tolerance; Hypertension **34, 157**
- Glycolysis;** Fructose-2,6-bisphosphatase; Gluconeogenesis; 6-phosphofructo 2-kinase; Sulfonylurea **34, 13**
- Glycooxidation;** Retinopathy; Microvascular endothelial cells; Retinal pericytes; Diabetes mellitus; Early glycation products; Advanced glycation end products **34, 135**
- Growth;** Protein metabolism; Proteolysis; Hypertrophy; Kidney; Streptozotocin; Mice; Proximal tubules **34, 143**
- Hypertension;** Urinary albumin excretion rate; Insulin resistance; Impaired glucose tolerance; Glucose clamp **34, 157**
- Hypertrophy;** Protein metabolism; Proteolysis; Growth; Kidney; Streptozotocin; Mice; Proximal tubules **34, 143**
- IDDM in India;** Epidemiology of IDDM; IDDM Registry **34, 79**
- IDDM Registry;** Epidemiology of IDDM; IDDM in India **34, 79**
- IGT;** BMI; NIDDM; Prevalence; Relative risk **34, 149**
- Impaired glucose tolerance;** Urinary albumin excretion rate; Insulin resistance; Hypertension; Glucose clamp **34, 157**
- Insulin-dependent diabetes mellitus;** Non-insulin-dependent diabetes mellitus; Insulin treated; Blood glucose self-monitoring **34, 115**
- Insulin-dependent diabetes mellitus;** T cell receptor; Interferon- γ ; Interleukin-4; Pancreas **34, 37**
- Insulin-like growth factor-I;** Non-obese diabetic (NOD) mouse; Type 1 (insulin-dependent) diabetes mellitus; Insulinitis; Prophylaxis **34, 7**
- Insulin resistance;** Urinary albumin excretion rate; Impaired glucose tolerance; Hypertension; Glucose clamp **34, 157**
- Insulin treated;** Insulin-dependent diabetes mellitus; Non-insulin-dependent diabetes mellitus; Blood glucose self-monitoring **34, 115**
- Insulin;** Type 2 diabetes; Urinary dopamine; Urinary sodium **34, 89**
- Insulinitis;** Non-obese diabetic (NOD) mouse; Insulin-like growth factor-I; Type 1 (insulin-dependent) diabetes mellitus; Prophylaxis **34, 7**
- Interferon- γ ;** T cell receptor; Interleukin-4; Insulin-dependent diabetes mellitus; Pancreas **34, 37**
- Interleukin-4;** T cell receptor; Interferon- γ ; Insulin-dependent diabetes mellitus; Pancreas **34, 37**
- Islet-cell antibody;** Malnutrition-related diabetes mellitus; Protein-deficient pancreatic diabetes; Fibro-calculous pancreatic diabetes; Type 1 diabetes **34, 73**
- Japanese;** Lipoprotein lipase; Polymorphism **34, 181**
- Ketone body;** Glucagon/insulin molar ratio; Osmotic minipump **34, 1**
- Kidney;** Protein metabolism; Proteolysis; Growth; Hypertrophy; Streptozotocin; Mice; Proximal tubules **34, 143**
- Lipoprotein lipase;** Japanese; Polymorphism **34, 181**
- Long-term observation;** NIDDM; Prospective study; Causes of death **34, 47**
- Malnutrition-related diabetes mellitus;** Islet-cell antibody; Protein-deficient pancreatic diabetes; Fibro-calculous pancreatic diabetes; Type 1 diabetes **34, 73**
- Mice;** Protein metabolism; Proteolysis; Growth; Hypertrophy; Kidney; Streptozotocin; Proximal tubules **34, 143**
- Microalbuminuria;** Autonomic neuropathy; Blood pressure variation; Diabetic neuropathy **34, 107**
- Microvascular endothelial cells;** Retinopathy; Retinal pericytes; Diabetes mellitus; Early glycation products; Advanced glycation end products; Glycooxidation **34, 135**

- NIDDM; BMI; IGT; Prevalence; Relative risk** 34, 149
- NIDDM; Diabetic retinopathy; South India; Risk factors** 34, 29
- NIDDM; Prospective study; Long-term observation; Causes of death** 34, 47
- Non-insulin-dependent diabetes mellitus; Insulin-dependent diabetes mellitus; Insulin treated; Blood glucose self-monitoring** 34, 115
- Non-obese diabetic (NOD) mouse; Insulin-like growth factor-I; Type 1 (insulin-dependent) diabetes mellitus; Insulinitis; Prophylaxis** 34, 7
- Osmotic minipump; Glucagon/insulin molar ratio; Ketone body** 34, 1
- Otsuka Long-Evans Tokushima Fatty rats; Advanced glycation endproducts; Aminoguanidine; Diabetic nephropathy** 34, 127
- Pancreas; T cell receptor; Interferon- γ ; Interleukin-4; Insulin-dependent diabetes mellitus** 34, 37
- Pheochromocytoma; Catecholamine; Diabetic ketoacidosis** 34, 57
- 6-phosphofructo 2-kinase; Fructose-2,6-bisphosphatase; Gluconeogenesis; Glycolysis; Sulfonylurea** 34, 13
- Polymorphism; Japanese; Lipoprotein lipase** 34, 181
- Predictor of glycemic control; 1,5-Anhydroglucitol; Diabetes education; Educational hospitalization** 34, 83
- Prevalence; BMI; IGT; NIDDM; Relative risk** 34, 149
- Prophylaxis; Non-obese diabetic (NOD) mouse; Insulin-like growth factor-I; Type 1 (insulin-dependent) diabetes mellitus; Insulinitis** 34, 7
- Prospective study; NIDDM; Long-term observation; Causes of death** 34, 47
- Protein-deficient pancreatic diabetes; Islet-cell antibody; Malnutrition-related diabetes mellitus; Fibro-calculeous pancreatic diabetes; Type 1 diabetes** 34, 73
- Protein metabolism; Proteolysis; Growth; Hypertrophy; Kidney; Streptozotocin; Mice; Proximal tubules** 34, 143
- Proteolysis; Protein metabolism; Growth; Hypertrophy; Kidney; Streptozotocin; Mice; Proximal tubules** 34, 143
- Proximal tubules; Protein metabolism; Proteolysis; Growth; Hypertrophy; Kidney; Streptozotocin; Mice** 34, 143
- Relative risk; BMI; IGT; NIDDM; Prevalence** 34, 149
- Retinal pericytes; Retinopathy; Microvascular endothelial cells; Diabetes mellitus; Early glycation products; Advanced glycation end products; Glycoxidation** 34, 135
- Retinopathy; Microvascular endothelial cells; Retinal pericytes; Diabetes mellitus; Early glycation products; Advanced glycation end products; Glycoxidation** 34, 135
- Risk factors; Diabetic retinopathy; NIDDM; South India** 34, 29
- Serum anion gap; Δ anion gap/ Δ bicarbonate (Δ AG/ Δ HCO₃) ratio; Diabetic ketoacidosis; Sodium/Chloride concentration ratio (Na/Cl)** 34, 23
- Sodium/Chloride concentration ratio (Na/Cl); Δ anion gap/ Δ bicarbonate (Δ AG/ Δ HCO₃) ratio; Diabetic ketoacidosis; Serum anion gap** 34, 23
- South India; Diabetic retinopathy; NIDDM; Risk factors** 34, 29
- Streptozotocin; Protein metabolism; Proteolysis; Growth; Hypertrophy; Kidney; Mice; Proximal tubules** 34, 143
- Sulfonylurea; Fructose-2,6-bisphosphatase; Gluconeogenesis; Glycolysis; 6-phosphofructo 2-kinase** 34, 13
- T cell receptor; Interferon- γ ; Interleukin-4; Insulin-dependent diabetes mellitus; Pancreas** 34, 37
- Tissue oxygenation; Transcutaneous oxygen pressure; Arterial oxygen pressure** 34, 163
- Transcutaneous oxygen pressure; Tissue oxygenation; Arterial oxygen pressure** 34, 163
- Type 1 diabetes; Islet-cell antibody; Malnutrition-related diabetes mellitus; Protein-deficient pancreatic diabetes; Fibro-calculeous pancreatic diabetes** 34, 73
- Type 2 diabetes; Urinary dopamine; Urinary sodium; Insulin** 34, 89
- Type 1 (insulin-dependent) diabetes mellitus; Non-obese diabetic (NOD) mouse; Insulin-like growth factor-I; Insulinitis; Prophylaxis** 34, 7
- Urinary albumin excretion rate; Insulin resistance; Impaired glucose tolerance; Hypertension; Glucose clamp** 34, 157
- Urinary dopamine; Type 2 diabetes; Urinary sodium; Insulin** 34, 89
- Urinary sodium; Type 2 diabetes; Urinary dopamine; Insulin** 34, 89
- X-ray diffraction; Extracellular matrix; Electron microscopy; Baboon model** 34, 65